

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet
Issue Date: 7-Nov-2008
XC9317EC

CHEMWATCH 8064-02
Version No:7
CD 2008/3 Page 1 of 8

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

GRANOSITE GRANOANTIQUE MCR

SYNONYMS

"Product Code: 870901, 870909"

PRODUCT USE

Used according to manufacturer' s directions.

SUPPLIER

Company: Granosite

Address:

4 Steel Street

Blacktown

NSW, 2148

AUS

Telephone: +61 2 9621 6255

Emergency Tel: +61 1800 039 008

Fax: +61 2 9831 4244

Section 2 - HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to the Criteria of NOHSC, and the ADG Code.

POISONS SCHEDULE

None

RISK

Risk Codes

R36

R48/20

R49

R52

Risk Phrases

Irritating to eyes.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

May cause CANCER by inhalation.

Harmful to aquatic organisms.

SAFETY

Safety Codes

S01

S36

S38

S401

S35

S13

Safety Phrases

Keep locked up.

Wear suitable protective clothing.

In case of insufficient ventilation wear suitable respiratory equipment.

To clean the floor and all objects contaminated by this material use water and detergent.

This material and its container must be disposed of in a safe way.

Keep away from food drink and animal feeding stuffs.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
acrylic polymer latex	Not avail.	10-30
titanium dioxide	13463-67-7	1-5
calcium carbonate	471-34-1	10-30
silica crystalline - quartz	14808-60-7	30-60
ethylene glycol monobutyl ether	111-76-2	<1
diethylene glycol monobutyl ether	112-34-5	<1
ammonium hydroxide	1336-21-6	<0.1
isothiazolinones		<0.2
additives		<1
water	7732-18-5	10-30

continued...

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet
Issue Date: 7-Nov-2008
XC9317EC

CHEMWATCH 8064-02
Version No:7
CD 2008/3 Page 2 of 8

Section 4 - FIRST AID MEASURES

SWALLOWED

- If swallowed do NOT induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.

EYE

If this product comes in contact with the eyes:

- Wash out immediately with fresh running water.
- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- If pain persists or recurs seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

If skin contact occurs:

- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Lay patient down. Keep warm and rested.
- Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.

NOTES TO PHYSICIAN

Treat symptomatically.

For acute or short term repeated exposures to ethylene glycol:

- Early treatment of ingestion is important. Ensure emesis is satisfactory.
- Test and correct for metabolic acidosis and hypocalcaemia.
- Apply sustained diuresis when possible with hypertonic mannitol.
- Evaluate renal status and begin haemodialysis if indicated. [I.L.O].

Section 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

FIRE FIGHTING

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.

FIRE/EXPLOSION HAZARD

- Non combustible.
 - Not considered a significant fire risk, however containers may burn., carbon dioxide (CO₂), silicon dioxide (SiO₂), other pyrolysis products typical of burning organic material.
- May emit poisonous fumes.

FIRE INCOMPATIBILITY

- Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

HAZCHEM: None

Section 6 - ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES

MINOR SPILLS

Slippery when spilt.

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.

MAJOR SPILLS

Slippery when spilt.

Moderate hazard.

continued...

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet
Issue Date: 7-Nov-2008
XC9317EC

CHEMWATCH 8064-02
Version No:7
CD 2008/3 Page 3 of 8

Section 6 - ACCIDENTAL RELEASE MEASURES

- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water course.

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- DO NOT allow clothing wet with material to stay in contact with skin.
- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Avoid contact with moisture.

SUITABLE CONTAINER

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

STORAGE INCOMPATIBILITY

- Avoid reaction with oxidising agents.

STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

Source	Material	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³
Australia Exposure Standards	titanium dioxide (Titanium dioxide (a))		10		
Australia Exposure Standards	calcium carbonate (Calcium carbonate (a))		10		
Australia Exposure Standards	silica crystalline - quartz (Silica - Crystalline Quartz)		0.1		
Australia Exposure Standards	silica crystalline - quartz (Silica - Amorphous Fume (thermally generated)(respirable dust) (g))		2		
Australia Exposure Standards	ethylene glycol monobutyl ether (2-Butoxyethanol)	20	96.9	50	242
Australia Exposure Standards	ammonium hydroxide (Ammonia)	25	17	35	24

The following materials had no OELs on our records

- diethylene glycol monobutyl ether:
- water:

CAS:112- 34- 5
CAS:7732- 18- 5

PERSONAL PROTECTION

RESPIRATOR

Type AK-P Filter of sufficient capacity

EYE

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

continued...

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet
Issue Date: 7-Nov-2008
XC9317EC

CHEMWATCH 8064-02
Version No:7
CD 2008/3 Page 4 of 8

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HANDS/FEET

- Wear chemical protective gloves, eg. PVC.
 - Wear safety footwear or safety gumboots, eg. Rubber.
- Suitability and durability of glove type is dependent on usage. Factors such as:
- frequency and duration of contact,
 - chemical resistance of glove material,
 - glove thickness and
 - dexterity,

OTHER

- Overalls.
- P.V.C. apron.
- Barrier cream.
- Skin cleansing cream.

ENGINEERING CONTROLS

General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in special circumstances.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Acrylic polymer emulsions may contain residual traces of odourous acrylic monomers; the amounts remaining in compounded mixtures represents a very low order of magnitude however this may become noticeable with some materials particularly in confined or poorly ventilated spaces.

White viscous textured liquid with a mild ammoniacal/pine odour.

Miscible with water. May be tinted to provide a range of colours.

PHYSICAL PROPERTIES

Liquid.
Mixes with water.

Molecular Weight: Not applicable.
Melting Range (°C): Not available.
Solubility in water (g/L): Miscible
pH (1% solution): Not available
Volatile Component (%vol): 15- 25
Relative Vapour Density (air=1): >1
Lower Explosive Limit (%): Not applicable
Autoignition Temp (°C): Not applicable
State: Liquid

Boiling Range (°C): 100
Specific Gravity (water=1): 1.7- 1.9
pH (as supplied): 10
Vapour Pressure (kPa): Not available.
Evaporation Rate: Not available
Flash Point (°C): Not applicable
Upper Explosive Limit (%): Not applicable
Decomposition Temp (°C): Not available.
Viscosity: Not Available

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
 - Product is considered stable.
 - Hazardous polymerisation will not occur.
- For incompatible materials - refer to Section 7 - Handling and Storage.*

Section 11 - TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

Irritating to eyes.
Vapours may cause dizziness or suffocation.

CHRONIC HEALTH EFFECTS

May cause CANCER by inhalation.
Harmful: danger of serious damage to health by prolonged exposure through inhalation.

TOXICITY AND IRRITATION

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling the epidermis.

ACRYLIC POLYMER LATEX:

TOXICITY

Oral (rat) LD50: >5000 mg/kg [Manfr.RH]

Acrylic polymer emulsions may contain residual traces of odourous acrylic monomers; the amounts remaining in compounded mixtures represents a very low order of exposure, however this may become noticeable with some materials particularly in confined or poorly ventilated spaces.

IRRITATION

TITANIUM DIOXIDE:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

continued...

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet

Issue Date: 7-Nov-2008

XC9317EC

CHEMWATCH 8064-02

Version No:7

CD 2008/3 Page 5 of 8

Section 11 - TOXICOLOGICAL INFORMATION

TOXICITY

Oral (Rat) LD50: >20000 mg/kg *

Oral (Mouse) LD50: >10000 mg/kg *

The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis.

For titanium dioxide:

Humans can be exposed to titanium dioxide via inhalation, ingestion or dermal contact. In human lungs, the clearance kinetics of titanium dioxide is poorly characterized relative to that in experimental animals.

* IUCLID

IRRITATION

Skin (human): 0.3 mg /3D (int)- Mild *

CALCIUM CARBONATE:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY

Oral (Rat) LD50: 6450 mg/kg

IRRITATION

Skin (rabbit): 500 mg/24h- Moderate

Eye (rabbit): 0.75 mg/24h - SEVERE

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling the epidermis.

No evidence of carcinogenic properties.

No evidence of mutagenic or

teratogenic effects.

SILICA CRYSTALLINE - QUARTZ:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY

Inhalation (human) LCLo: 0.3 mg/m³/10Y

Inhalation (human) TCLo: 16 mppcf*/8H/17.9Y

Inhalation (rat) TCLo: 50 mg/m³/6H/71W

WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS.

Intermittent; focal fibrosis,

(pneumoconiosis), cough, dyspnoea

Intermittent; liver - tumours.

* Millions of particles per cubic foot (based on impinger samples counted

by light field techniques).

NOTE : the physical nature of quartz in the product determines whether

it is likely to present a chronic health problem. To be a hazard

the material must enter the breathing zone as respirable particles.

IRRITATION

Nil Reported

ETHYLENE GLYCOL MONOBUTYL ETHER:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY

Oral (rat) LD50: 470 mg/kg

Dermal (rabbit) LD50: 220 mg/kg

Inhalation (human) TCLo: 100 ppm

Inhalation (human) TCLo: 195 ppm/8h * [Union

Carbide]

Inhalation (rat- male) LC50: 486 ppm *

Inhalation (rat- female) LC50: 450 ppm *

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis.

NOTE: Changes in kidney, liver, spleen and lungs are observed in animals

exposed to high concentrations of this substance by all routes.

IRRITATION

Skin (rabbit): 500 mg, open; Mild

Eye (rabbit): 100 mg/24h- Moderate

Eye (rabbit): 100 mg SEVERE

DIETHYLENE GLYCOL MONOBUTYL ETHER:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY

Oral (rat) LD50: 5660 mg/kg

Dermal (rabbit) LD50: 4120 mg/kg

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

IRRITATION

Eye (rabbit): 5 mg - SEVERE

Eye (rabbit): 20 mg/24h Moderate

AMMONIUM HYDROXIDE:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY

Oral (rat) LD50: 350 mg/kg

Oral (human) LDLo: 43 mg/kg

Inhalation (human) LCLo: 5000 ppm/5m

Inhalation (human) TCLo: 20 ppm

Inhalation (rat) LC50: 2000 ppm/4h

Unreported (man) LDLo: 132 mg/kg

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as

IRRITATION

Eye (rabbit): 0.25 mg SEVERE

Eye (rabbit): 1 mg/30s SEVERE

continued...

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet
Issue Date: 7-Nov-2008
XC9317EC

CHEMWATCH 8064-02
Version No:7
CD 2008/3 Page 6 of 8

Section 11 - TOXICOLOGICAL INFORMATION

reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound.

WATER:
No significant acute toxicological data identified in literature search.

MATERIAL	CARCINOGEN	REPROTOXIN	SENSITISER	SKIN
titanium dioxide	IARC:2B			
silica crystalline - quartz	IARC:1			
ethylene glycol monobutyl ether	IARC:3			

CARCINOGEN

IARC: International Agency for Research on Cancer (IARC) Carcinogens: titanium dioxide Category: WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.

CARCINOGEN

IARC: International Agency for Research on Cancer (IARC) Carcinogens: silica crystalline - quartz Category: WARNING: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS.

CARCINOGEN

IARC: International Agency for Research on Cancer (IARC) Carcinogens: ethylene glycol monobutyl ether Category: The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.

Section 12 - ECOLOGICAL INFORMATION

Harmful to aquatic organisms.

Section 13 - DISPOSAL CONSIDERATIONS

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Where in doubt contact the responsible authority.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: Burial in a licenced land-fill or incineration in a licenced apparatus (after admixture with suitable combustible material).
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Section 14 - TRANSPORTATION INFORMATION

HAZCHEM: None (ADG6)

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: UN, IATA, IMDG

Section 15 - REGULATORY INFORMATION

POISONS SCHEDULE: None

REGULATIONS

Granosite GranoAntique MCR (CAS: None):
No regulations applicable

titanium dioxide (CAS: 13463-67-7) is found on the following regulatory lists;

- Australia Exposure Standards
- Australia High Volume Industrial Chemical List (HVICL)
- Australia Inventory of Chemical Substances (AICS)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 4
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 5
- Australia Therapeutic Goods Administration (TGA) Substances that may be used as active ingredients in Listed medicines
- Australia Therapeutic Goods Administration (TGA) Sunscreening agents permitted as active ingredients in listed products
- CODEX General Standard for Food Additives (GSFA) - Additives Permitted for Use in Food in General, Unless Otherwise Specified, in Accordance with GMP
- IMO IBC Code Chapter 17: Summary of minimum requirements
- International Agency for Research on Cancer (IARC) Carcinogens
- OECD Representative List of High Production Volume (HPV) Chemicals

titanium dioxide (CAS: 1317-70-0) is found on the following regulatory lists;

- Australia Inventory of Chemical Substances (AICS)
- OECD Representative List of High Production Volume (HPV) Chemicals

continued...

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet

Issue Date: 7-Nov-2008

XC9317EC

CHEMWATCH 8064-02

Version No:7

CD 2008/3 Page 7 of 8

Section 15 - REGULATORY INFORMATION

titanium dioxide (CAS: 1317-80-2) is found on the following regulatory lists;

- Australia Inventory of Chemical Substances (AICS)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 4
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 5
- GESAMP/EHS Composite List of Hazard Profiles - Hazard evaluation of substances transported by ships
- OECD Representative List of High Production Volume (HPV) Chemicals

titanium dioxide (CAS: 1309-63-3) is found on the following regulatory lists;

- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 4
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 5

titanium dioxide (CAS: 62338-64-1) is found on the following regulatory lists;

- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 4
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 5

calcium carbonate (CAS: 471-34-1) is found on the following regulatory lists;

- Australia High Volume Industrial Chemical List (HVICL)
- Australia Inventory of Chemical Substances (AICS)
- Australia Therapeutic Goods Administration (TGA) Substances that may be used as active ingredients in Listed medicines
- CODEX General Standard for Food Additives (GSFA) - Additives Permitted for Use in Food in General, Unless Otherwise Specified, in Accordance with GMP
- GESAMP/EHS Composite List of Hazard Profiles - Hazard evaluation of substances transported by ships
- IMO IBC Code Chapter 17: Summary of minimum requirements
- International Council of Chemical Associations (ICCA) - High Production Volume List
- OECD Representative List of High Production Volume (HPV) Chemicals

calcium carbonate (CAS: 1317-65-3) is found on the following regulatory lists;

- Australia Exposure Standards
- Australia Inventory of Chemical Substances (AICS)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 6
- OECD Representative List of High Production Volume (HPV) Chemicals

silica crystalline - quartz (CAS: 14808-60-7) is found on the following regulatory lists;

- Australia - New South Wales Hazardous Substances Prohibited for Specific Uses
- Australia - New South Wales Hazardous Substances Requiring Health Surveillance
- Australia - South Australia Hazardous Substances Requiring Health Surveillance
- Australia - Tasmania Hazardous Substances Prohibited for Specified Uses
- Australia - Tasmania Hazardous Substances Requiring Health Surveillance
- Australia - Western Australia Hazardous Substances Requiring Health Surveillance
- Australia Exposure Standards
- Australia Hazardous Substances
- Australia Hazardous Substances Requiring Health Surveillance
- Australia High Volume Industrial Chemical List (HVICL)
- Australia Inventory of Chemical Substances (AICS)
- Australia Occupational Health and Safety (Commonwealth Employment) (National Standards) Regulations 1994 - Hazardous Substances Requiring Health Surveillance

Surveillance

- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 6
- International Agency for Research on Cancer (IARC) Carcinogens
- OECD Representative List of High Production Volume (HPV) Chemicals

ethylene glycol monobutyl ether (CAS: 111-76-2) is found on the following regulatory lists;

- Australia Exposure Standards
- Australia Hazardous Substances
- Australia High Volume Industrial Chemical List (HVICL)
- Australia Inventory of Chemical Substances (AICS)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Appendix E (Part 2)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Appendix F (Part 3)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Appendix I
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 6
- GESAMP/EHS Composite List of Hazard Profiles - Hazard evaluation of substances transported by ships
- IMO IBC Code Chapter 17: Summary of minimum requirements
- IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances
- International Agency for Research on Cancer (IARC) Carcinogens
- OECD Representative List of High Production Volume (HPV) Chemicals

diethylene glycol monobutyl ether (CAS: 112-34-5) is found on the following regulatory lists;

- Australia Hazardous Substances
- Australia High Volume Industrial Chemical List (HVICL)
- Australia Inventory of Chemical Substances (AICS)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Appendix F (Part 3)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 5
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 6
- IMO MARPOL 73/78 (Annex II) - List of Other Liquid Substances
- OECD Representative List of High Production Volume (HPV) Chemicals

ammonium hydroxide (CAS: 1336-21-6) is found on the following regulatory lists;

- Australia - Australian Capital Territory - Environment Protection Regulation: Pollutants entering waterways taken to cause environmental harm (Aquatic habitat)
- Australia - Australian Capital Territory Environment Protection Regulation Pollutants entering waterways - Domestic water quality
- Australia - Queensland Hazardous Materials and Prescribed Quantities for Major Hazard Facilities
- Australia Exposure Standards
- Australia Hazardous Substances
- Australia High Volume Industrial Chemical List (HVICL)
- Australia Inventory of Chemical Substances (AICS)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Appendix E (Part 2)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Appendix F (Part 3)
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 2
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 5
- Australia Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP) - Schedule 6
- CODEX General Standard for Food Additives (GSFA) - Additives Permitted for Use in Food in General, Unless Otherwise Specified, in Accordance with GMP
- GESAMP/EHS Composite List of Hazard Profiles - Hazard evaluation of substances transported by ships
- IMO IBC Code Chapter 17: Summary of minimum requirements
- IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk
- International Air Transport Association (IATA) Dangerous Goods Regulations

continued...

GRANOSITE GRANOANTIQUE MCR

Chemwatch Material Safety Data Sheet

Issue Date: 7-Nov-2008

XC9317EC

CHEMWATCH 8064-02

Version No:7

CD 2008/3 Page 8 of 8

Section 15 - REGULATORY INFORMATION

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List
International Council of Chemical Associations (ICCA) - High Production Volume List
OECD Representative List of High Production Volume (HPV) Chemicals
WHO Guidelines for Drinking-water Quality - Chemicals for which guideline values have not been established

water (CAS: 7732-18-5) is found on the following regulatory lists:

Australia Inventory of Chemical Substances (AICS)

GESAMP/EHS Composite List of Hazard Profiles - Hazard evaluation of substances transported by ships

IMO IBC Code Chapter 18: List of products to which the Code does not apply

OECD Representative List of High Production Volume (HPV) Chemicals

No data available for acrylic polymer latex as CAS: Not avail.

No data available for titanium dioxide as CAS: 12188-41-9, CAS: 100292-32-8, CAS: 101239-53-6, CAS: 116788-85-3, CAS: 12000-59-8, CAS: 12701-76-7, CAS:

12767-65-6, CAS: 12789-63-8, CAS: 1344-29-2, CAS: 185323-71-1, CAS: 185828-91-5, CAS: 188357-76-8, CAS: 188357-79-1, CAS: 195740-11-5, CAS: 221548-98-7,

CAS: 224963-00-2, CAS: 246178-32-5, CAS: 252962-41-7, CAS: 37230-92-5, CAS: 37230-94-7, CAS: 37230-95-8, CAS: 37230-96-9, CAS: 39320-58-6, CAS: 39360-64-0,

CAS: 39379-02-7, CAS: 416845-43-7, CAS: 494848-07-6, CAS: 494848-23-6, CAS: 494851-77-3, CAS: 494851-98-8, CAS: 55068-84-3, CAS: 55068-85-4, CAS: 552316-51-

5, CAS: 767341-00-4, CAS: 97929-50-5, CAS: 98084-96-9.

No data available for calcium carbonate as CAS: 13397-26-7, CAS: 15634-14-7.

No data available for silica crystalline - quartz as CAS: 122304-48-7, CAS: 122304-49-8, CAS: 12425-26-2, CAS: 1317-79-9, CAS: 70594-95-5, CAS: 87347-84-0.

Section 16 - OTHER INFORMATION

INGREDIENTS WITH MULTIPLE CAS NUMBERS

Ingredient Name	CAS
titanium dioxide	13463- 67- 7, 1317- 70- 0, 1317- 80- 2, 12188- 41- 9, 1309- 63- 3, 100292- 32- 8, 101239- 53- 6, 116788- 85- 3, 12000- 59- 8, 12701- 76- 7, 12767- 65- 6, 12789- 63- 8, 1344- 29- 2, 185323- 71- 1, 185828- 91- 5, 188357- 76- 8, 188357- 79- 1, 195740- 11- 5, 221548- 98- 7, 224963- 00- 2, 246178- 32- 5, 252962- 41- 7, 37230- 92- 5, 37230- 94- 7, 37230- 95- 8, 37230- 96- 9, 39320- 58- 6, 39360- 64- 0, 39379- 02- 7, 416845- 43- 7, 494848- 07- 6, 494848- 23- 6, 494851- 77- 3, 494851- 98- 8, 55068- 84- 3, 55068- 85- 4, 552316- 51- 5, 62338- 64- 1, 767341- 00- 4, 97929- 50- 5, 98084- 96- 9
calcium carbonate	471- 34- 1, 13397- 26- 7, 15634- 14- 7, 1317- 65- 3
silica crystalline - quartz	14808- 60- 7, 122304- 48- 7, 122304- 49- 8, 12425- 26- 2, 1317- 79- 9, 70594- 95- 5, 87347- 84- 0

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net/references.

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Issue Date: 7-Nov-2008

Print Date: 7-Nov-2008